

# **Technical Data Sheet**

.....

### **Stan-Fact™ Factice**

Stan-Fact<sup>™</sup> Factice can be used as a processing aid and property modifier in rubber, or a partial replacement for plasticizer or oil, in a compound. Factice products are produced from soybean, rapeseed, or castor oil. *Harwick's Stan-Fact products are produced from soybean oil.* Factice is most commonly cross-linked with sulfur, and will help maintain compound durometer and flexibility over time.

### **Benefits of Factice:**

Improves dimensional stability Increases extrusion speed Persistent softener Reduces die swell

### **Vulcanized Factice are:**

Non-blooming Non-extractable Non-migrating Non-volatile

## Factice Applications include:

Extruded and molded products Printing blankets Roll compounds Sponge products

### Factice can also be a:

Filler
Permanent Softener
Process Aid
Surface Modifier

#### **TYPICAL PROPERTIES**

	2AS Brown	NA Brown	K74 PNO Brown	2SR Light Brown	2SR Golden Yellow
Acetone Extract, %	31	33	45	22.5	22.5
Ash Content, %	0.25	0.25	0.25	0.25	0.25
Acetone Soluble Sulfur, %	3.5	3.5	3.5	-	-
Free Sulfur, %	0.35	0.40	0.40	0.75	0.75

08/12/2024

\_\_\_\_\_\_

HARWICK STANDARD MAKES NO WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE GOODS OR USES OF THE GOODS OR PERFORMANCE OF THE GOODS AND MAKES NO WARRANTIES OF THE FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY.

BUYER ACKNOWLEDGES THAT HARWICK STANDARD WILL NOT BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, DIRECT, OR SPECIAL DAMAGES ARISING, DIRECTLY, OR INDIRECTLY, IN RESPECT TO SUCH GOODS OR THE USE OR FAILURE THEREOF, WHETHER BASED ON BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE.

### HARWICK STANDARD DISTRIBUTION CORPORATION

60 S. SEIBERLING ST. • P.O. BOX 9360 • AKRON, OH 44305-0360 • U.S.A.

PHONE: (330) 798-9300 • www.harwick.com