



**SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT IDENTIFIER: STAN-LUBE 6056**

**Chemical Name:** White Mineral Oil (Petroleum)

**Recommended Use:** Rubber additive

**Manufactured for and supplied by:**

**Supplier:** Harwick Standard Distribution Corporation

**Supplier Address:** 60 S. Seiberling Street, Akron, OH 44305

**Contact:** Health, Safety & Environment

**Telephone:** 330-798-9300

**Website:** [www.harwickstandard.com](http://www.harwickstandard.com)

**SECTION 2 – HAZARD(S) IDENTIFICATION**

**Classification of the Substance or Mixture:**

Material is not considered hazardous by the OSHA Hazard Communication Standard 29 CFR 1910.1200

**GHS Label Elements:**

**Hazard symbol:** None

**Signal word:** None

**Hazard Statements:**

No known significant effect or critical hazards.

**Precautionary Statements:**

**Prevention:** Not applicable.

**Response:** Not applicable.

**Storage:** Not applicable.

**Disposal:** Not applicable.

**Hazard(s) not otherwise classified (HNOC):** None known

**SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

**Substance/mixture:** Substance

<u>Components Chemical Identity</u>	<u>CAS Number</u>	<u>Weight%</u>
White mineral oil (petroleum)	8042-47-5	100



There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### SECTION 4 – FIRST AID MEASURES

**Eye contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Inhalation:** Remove person to fresh air. Get medical attention if symptoms occur.

**Skin contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

**Ingestion:** Rinse out mouth with water. Remove to fresh air and keep at rest in position comfortable for breathing. If material has been swallowed and exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed:

##### Potential acute health effects:

<b>Eye contact:</b>	No known significant effects or critical hazards.
<b>Inhalation:</b>	No known significant effects or critical hazards.
<b>Skin contact:</b>	No known significant effects or critical hazards.
<b>Ingestion:</b>	No known significant effects or critical hazards.

##### Over-exposure signs/symptoms:

<b>Eye contact:</b>	No specific data
<b>Inhalation:</b>	No specific data
<b>Skin contact:</b>	No specific data
<b>Ingestion:</b>	No specific data

**Indication of immediate medical attention and special treatment needed:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### SECTION 5 – FIRE FIGHTING MEASURES

**Suitable extinguishing method:** In case of fire, use water spray (fog), foam, dry chemical or carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing method:** Do not use water jet.



**Specific hazards arising from chemical:** In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products:**

Decomposition products may include the following materials:

- Carbon dioxide
- Carbon monoxide

**Special firefighting equipment and precautions for firefighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Firefighting equipment/instructions:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

**Methods and materials for containment and cleaning up:**

For large spills: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

For small spills: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Environmental precautions:**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## SECTION 7 - HANDLING AND STORAGE

**Precautions for safe handling:** Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and



protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities:** Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational Exposure Limits:

Ingredient Name:	Exposure Limit
White mineral oil (petroleum)	<b>ACGIH TLV (United States, 4/2014).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction <b>NIOSH REL (United States, 10/2013).</b> TWA: 5 mg/m <sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m <sup>3</sup> 15 minutes. Form: Mist <b>OSHA PEL (United States, 2/2013).</b> TWA: 5 mg/m <sup>3</sup> 8 hours.

**Appropriate engineering controls:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Individual protection measures, such as personal protective equipment:

**Eye/face protection:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### **Skin protection:**

**Hand protection:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection:** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.



Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**General hygiene considerations:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES

<b>Appearance:</b>	Colorless liquid (Viscous)
<b>Odor:</b>	Mild hydrocarbon
<b>pH:</b>	Not available
<b>Boiling Point/Range:</b>	218 to 800°C (424.4 to 1472°F)
<b>Melting Point/Range:</b>	-60 to -9°C (-76 to 15.8°F)
<b>Flash Point (°C):</b>	>112°C (>233.6°F) Closed cup 263°C (505.4°F) Open cup (Cleveland)
<b>Evaporation Rate:</b>	Not available
<b>Flammability (solid, gas):</b>	Not available
<b>Flammable/Explosion Limits:</b>	Not available
<b>Vapor Pressure:</b>	0.011 kPa (0.08 mm Hg) (Room temperature)
<b>Vapor Density:</b>	Not available
<b>Relative Density:</b>	0.872
<b>Solubility:</b>	Insoluble in cold water and hot water
<b>Partition Coefficient: (n-octanol/water)</b>	>6
<b>Auto-ignition Temperature:</b>	325 to 355°C (617 to 671°F)
<b>Decomposition Temperature:</b>	Not available
<b>Viscosity:</b>	Kinematic (40°C (104°F)): 100602 cm <sup>2</sup> /s (106.02 cSt)

## SECTION 10 - STABILITY & REACTIVITY

**Reactivity:** No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability:** Material is stable under recommended storage and handling conditions.

**Possibility of hazardous reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid:** No specific data.

**Incompatible materials:** No specific data.



**Hazardous decomposition products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### Acute Toxicity

Product/Ingredient	Result	Species	Dose	Exposure
White mineral oil (petroleum)	LC50 Inhalation Dusts and mists	Rat	>5 mg/l	4 hours
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

### Irritation/Corrosion:

**Skin:** Not available  
**Eyes:** Not available  
**Respiratory:** Not available

### Sensitization:

**Skin:** Not available  
**Respiratory:** Not available

**Germ cell mutagenicity:** Not available

**Carcinogenicity:** Not available

**Conclusion/Summary:** The classification as a carcinogen need not apply as it can be shown that the substance contains less than 3% DMSO extract as measured by IP 316.

**Reproductive toxicity:** Not available

**Teratogenicity:** Not available

**Specific target organ toxicity-single exposure:** Not available

**Specific target organ toxicity-repeated exposure:** Not available

**Aspiration hazard:** Not available.

**Information on likely routes of exposure:** Routes of entry anticipated: Oral, dermal, Inhalation

### Potential acute health effects:

**Inhalation:** No known significant effects or critical hazards.  
**Skin Contact:** No known significant effects or critical hazards.  
**Eye Contact:** No known significant effects or critical hazards.



**Ingestion:** No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics:** No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure:**

**Short term exposure:**

**Potential immediate effects:** Not available.

**Potential delayed effects:** Not available.

**Long term exposure:**

**Potential immediate effects:** Not available.

**Potential delayed effects:** Not available.

**Potential chronic health effects:** Not available

## SECTION 12 - ECOLOGICAL INFORMATION

**Ecotoxicity:**

Product/Ingredient	Result	Species	Exposure
White mineral oil (petroleum)	Acute LC50 >100 mg/l	Daphnia	48 hours
	Acute LC50 >10000 mg/l	Fish	96 hours

**Persistence and degradability:**

Product/Ingredient	Aquatic half-life	Photolysis	Biodegradability
White mineral oil (petroleum)	-	-	Inherent

**Bioaccumulative potential:**

Product/Ingredient	Low P <sub>ow</sub>	BCF	Potential
White mineral oil (petroleum)	>6	-	high

**Mobility in soil:** No data available

**Other adverse effects:** No known significant effects or critical hazards.

## SECTION 13 - DISPOSAL CONSIDERATIONS

**Disposal instructions:** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed



of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA Classification: Not regulated

#### SECTION 14 - TRANSPORTATION INFORMATION

**U.S. DOT Classification:** Not DOT regulated.

#### SECTION 15 - REGULATORY INFORMATION

**U.S.:**

**United States TSCA Inventory:** All components are listed or exempt.

**California Proposition 65:** Not listed.

#### SECTION 16 - OTHER INFORMATION

**Issue date:** 05-11-2015

**Revision date:** 09-12-2016

**Version #:** 02

**Disclaimer:** The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.

Harwick Standard Distribution Corporation

[www.harwickstandard.com](http://www.harwickstandard.com)