A1100 DLC®

## A1100 DLC®


### 1: Identification

Product identifier: Other means of identification: Supplier:

Recommended use: Restrictions on use: Emergency phone number:



CHEMTREC (Int'l)



### 2: Hazard(s) identification

CHC	classification:	
GUD	classification.	

Hazard Classification	Category
Flammable solid	4
Skin corrosion/irritation	1B
Serious eye damage/eye irritation	1
Acute toxicity: oral	4
Skin sensitization	1
Specific target organ toxicity (single exposure)	2

202-483-7616

# Signal word: DANGER Symbol(s):

Hazard statements:

**GHS label elements** 

		F
Elammable colid	$\checkmark$	

statements:	Flammable solid.
	Harmful if swallowed.
	Causes severe skin burns and eye damage.
	Causes serious eye damage.
	May cause an allergic skin reaction.
	Causes damage to organs in contact with skin.
rds not otherwise	May form combustible dust concentrations in the air.

Hazards not otherwise classified: Precautionary statements: Prevention:

Do not eat, drink, or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Revised 2016-12-08

A1100 DLC®

Page **1** of **13** 

Revised 2016-12-08	A1100 DLC®	Safety Data Sheet
Response:	Keep away from flames and hot surfaces Do not breathe dust/vapours. Avoid release to the environment. Wear protective gloves. Wear eye or face protection. Wear protective clothing. IF ON SKIN (or hair): Take off immediate clothing. Wash with plenty of soap and v clothing before reuse. If skin irritation of	ly all contaminated water. Wash contaminated
	attention. IF SWALLOWED: Immediately call a POIS mouth. Do NOT induce vomiting. IF INHALED: Remove person to fresh air breathing. Immediately call a POISON CE IF IN EYES: Rinse cautiously with water for Remove contact lenses if present and ea Immediately call a POISON CENTER/doct	and keep comfortable for NTER/doctor. or several minutes. sy to do – continue rinsing.
	IF exposed or concerned: Call a POISON unwell. In case of fire: Use dry chemical, CO <sub>2</sub> , wa	
Storage:	extinguish. Store locked up. Store in a dry place. Store in a closed con	
Disposal:	Store in a well-ventilated place. Keep co Dispose of contents/container in accord regulations.	
Supplemental information:	Not applicable.	

### **3: Composition**

Substance/mixture:

Mixture

Ingredient	Synonyms	CAS number	Concentration (%)
1-propamine,3-(triethoxysilyl)-		919-30-2	70-74
Ethanol		64-17-5	<1
Calcium silicate		1344-95-2	26-30

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Revised 2016-12-08

A1100 DLC®

Page **2** of **13** 

	Revised	2016-12-08
--	---------	------------

A1100 DLC®

### 4: First-aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM, OR PHYSICIAN immediately; have SDS information available. Never give anything by mouth to an unconscious or convulsing person.

### **Description of necessary first aid measures**

Eye contact:	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Seek immediate medical attention.
Skin contact:	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. Seek immediate medical attention.
Ingestion:	If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

### Most important symptoms/effects, acute and delayed.

## Potential acute health effects

Causes serious eve damage
Causes serious eye damage
May give off gas, vapour, or dust that is very irritating or corrosive
to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Causes severe burns. May cause an allergic skin reaction.
Harmful if swallowed. May cause burns to mouth, throat, and
stomach.

### **Over-exposure signs/symptoms**

Eye contact:	Adverse symptoms may include the following:
	Pain
	Watering
	Irritation
	Redness
Inhalation:	Adverse symptoms may include the following:
	Coughing
	Respiratory tract irritation
Skin contact:	Adverse symptoms may include the following:
	Pain or irritation
	Redness
	Blistering may occur
Ingestion:	Adverse symptoms may include the following:
	Stomach pain

Revised 2016-12-08

A1100 DLC®

Page **3** of **13** 

A1100 DLC®

## Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician:	In case of inhalation of decomposition products in a fire, symptoms
	may be delayed. The exposed person may need to be kept under
	medical surveillance for 48 hours.
Specific treatments:	No specific treatment.
Protection of first-aiders:	No action shall be taken involving any personal risk or without suitable training.
	suitable training.

See toxicological information (Section 11)

## **5: Fire-fighting measures**

Eutinguishing modia	
Extinguishing media Suitable extinguishing media:	Use dry chemical, $CO_2$ , water spray (fog), or foam.
Unsuitable extinguishing media:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from	Product forms a slippery surface when combined with water.
the chemical:	
Hazardous thermal	In the event of a fire, hazardous decomposition products may
decomposition products:	include:
	Carbon monoxide
	Carbon dioxide
	Nitrogen oxides
	Silicon oxides
	Other unidentified organic compounds
Special protective actions for firefighters:	No action shall be taken involving any personal risk or without proper training.
Special protective	Firefighters and others who may be exposed to products of
equipment for firefighters:	combustion should wear full firefighting turn out gear (full bunker gear) and self-contained breathing apparatus (SCBA) operated in pressure-demand mode (MSHA/NIOSH approved or equivalent).

### **6: Accidental release measures**

### Personal precautions, protective equipment, and emergency procedures

Keep unnecessary and unprotected personnel from entering. Do
not touch or walk through spilled material. Product forms slippery
surface when combined with water. No action shall be taken
involving any personal risk or without suitable training.
If specialized clothing is required to deal with the spillage, take note of any information in <b>Section 8</b> on suitable and unsuitable

Revised 2016-12-08

A1100 DLC®

Page **4** of **13** 

Revised 2016-12-08	A1100 DLC®	Safety Data Sheet
Environmental precautions:	materials. See also the information imme emergency personnel". Avoid release to sewers, waterways, soil, relevant authorities if the product has can pollution (sewers, waterways, soil, or air)	or air. Inform the used environmental
Methods and materials fo	r containment and cleaning up	
Small spill:	Avoid generating dust. Vacuum or sweep	up material and place in a
	designated, labeled waste container.	
Large spill:	Avoid generating dust. Vacuum or sweep	up material and place in a
	designated, labeled waste container.	
See Section 1 for emergency conta	ct information.	

See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## 7: Handling and storage

## Precautions for safe handling

Protective measures:	Put on appropriate personal protective equipment (see <b>Section 8</b> ). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used.
Advice on general	Eating, drinking, and smoking should be prohibited in areas where
occupational hygiene:	this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. When transferring material into flammable solvents, use proper grounding to avoid electrical sparks. Avoid alteration of product properties before use. Calcining (which may result in crystalline silica formation) or mixing with additives may alter toxicological properties. See also <b>Section 8</b> for additional information on hygiene measures.
Conditions for safe storage,	Store in accordance with local regulations. Store in original
including any incompatibilities:	container protected from direct sunlight in a dry, cool, and well- ventilated area away from incompatible materials (see <b>Section 10</b> ) and food and drink. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers.

## 8: Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredien	nt	OSHA PEL	ACGIH TLV	NIOSH REL
Ethanol		1,900 mg/m <sup>3</sup> TWA	1,000 ppm STEL	1,900 mg/m <sup>3</sup> TWA
		1,000 ppm TWA		1,000 ppm TWA

Revised 2016-12-08

A1100 DLC®

Page **5** of **13** 

Revised 2016-12-08	A1100 DLC®	Safety Data Sheet
Recommended monitoring procedures:	If this product contains ingredients w workplace atmosphere, or biological to determine the effectiveness of the measures and/or the necessity to use equipment. Reference should be mac standards. Reference to national guid for the determination of hazardous su required.	monitoring may be required ventilation or other control respiratory protective le to appropriate monitoring lance documents for methods
Appropriate engineering	Good general ventilation should be su	ufficient to control worker
controls:	exposure to airborne contaminants.	
Environmental exposure controls:	Emissions from ventilation or work pr checked to ensure that they comply v environmental protection legislation. scrubbers, filters, or engineering mod equipment will be necessary to reduc levels.	with the requirements of In some cases, fume lifications to process
Individual protection me	asures	
Hygiene measures:	Wash hands, forearms, and face thore chemical products, before eating, sm and at the end of the working period. should be used to remove potentially contaminated clothing before reusing stations and safety showers are close	oking, and using the lavatory, Appropriate techniques contaminated clothing. Wash g. Ensure that eyewash
Eye/face protection:	Safety eyewear complying with an ap used when a risk assessment indicate exposure to liquid splashes, mists, ga possible, the following protection sho assessment indicates a higher degree	s this is necessary to avoid ses, or dusts. If contact is ould be worn, unless the
Skin protection	Chamical resistant important day	
Hand protection: Body protection:	Chemical-resistant, impervious glove approved standard should be worn a chemical products if a risk assessme When handling hot material, wear h able to withstand the temperature o Personal protective equipment for t	at all times when handling nt indicates this is necessary. eat-resistant gloves that are of molten product.
bouy protection.	based on the task being performed a should be approved by a specialist b	efore handling this product.
Other skin protection:	Appropriate footwear and any addit measures should be selected based and the risks involved and should be before handling this product.	on the task being performed e approved by a specialist
Respiratory protection:	Respirator selection must be based exposure levels, the hazards of the p limits of the selected respirator. If w concentrations above the exposure appropriate, certified respirators. Us	product and the safe working vorkers are exposed to limit, they must use

A1100 DLC®

Page **6** of **13** 

A1100 DLC®

Safety Data Sheet

purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

## 9: Physical and chemical properties

	F F F F F F F F F
Appearance	
Physical state:	Powder, solid, or granular solid.
Color:	White to off-white.
Odor:	Amine-like.
Odor threshold:	Not available.
pH:	Not available.
Melting/freezing point:	Not available.
Boiling point and range:	Not available.
Flash point:	Not available.
Evaporation rate:	Not available.
Flammability:	Not available.
Flammability or explosive	Not available.
limits:	
Vapor pressure:	Not available.
Vapor density:	Not available.
Relative density:	Not available.
Solubility:	Not available.
Partition coefficient: n-	Not available.
octanol/water:	
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not applicable.

## 10: Stability and reactivity

Reactivity:	Stable under normal conditions.
Chemical stability:	This product is stable.
Possibility of hazardous	Under normal conditions of storage and use, hazardous reactions
reactions:	will not occur.
Conditions to avoid:	Avoid all possible sources of ignition.
	Avoid moisture.
	Avoid generating dust.
	Refer to protective measures listed in Sections 7 and 8.
Incompatible materials:	Reactive or incompatible with the following materials:
	Water
	Oxidizing materials
	Reaction with water or other aqueous media is rapid and
	exothermic.
Hazardous decomposition	In the event of a fire, hazardous decomposition products may
products:	include:
	Carbon monoxide
	Carbon dioxide

Revised 2016-12-08

A1100 DLC®

Page **7** of **13** 

A1100 DLC®

Safety Data Sheet

Nitrogen oxides Silicon oxides Other unidentified organic compounds

## **11: Toxicological information**

## Information on toxicological effects

Conclusion/summary:	Not determined.		1	
Ingredient	Result	Species	Dose	Exposure
Gamma-	LD <sub>50</sub> oral	Rat (M)	3000 mg/kg	-
aminopropyltriethoxysilane	LD <sub>50</sub> inhalation	Rat (M)	> 7.35 mg/L	4 h
	LD <sub>50</sub> dermal	Rabbit (M)	> 2000 mg/kg	-
rritation/corrosion				
Conclusion/summary				
Skin:	Corrosive to skin (Ra	bbit)		
Eyes:	Severely irritating to	the eyes (Rabl	oit)	
Respiratory:	Not determined.			
Sensitization				
Conclusion/summary:				
Skin:	Sensitizing (Guinea p	ig)		
Respiratory:	Not determined.			
<u>Mutagenicity:</u>				
Conclusion/summary:	Not determined.			
<u>Carcinogenicity</u>				
Conclusion/summary:	Not determined.			
Reproductive toxicity				
Conclusion/summary:	Not determined.			
<u> Teratogenicity</u>				
Conclusion/summary:	Not determined.			
pecific target organ toxicity (si	ngle exposure)			
Not available.				
Specific target organ toxicity (re	peated exposure)			
Not available.				
Aspiration hazard				
Not available.				
ormation on the likely routes	Routes of entry antic	ipated: oral, d	ermal, eyes.	
exposure:				

### Potential acute health effects

i otentiai acute neai	
Eye contact:	Causes serious eye damage
Inhalation:	May give off gas, vapour, or dust that is very irritating or corrosive
	to the respiratory system. Exposure to decomposition products
	may cause a health hazard. Serious effects may be delayed
	following exposure.
Skin contact:	Causes severe burns. May cause an allergic skin reaction.

Revised 2016-12-08

A1100 DLC®

Page **8** of **13** 

Revised 2016-12-08	A1100 DLC®	Safety Data Sheet
Ingestion:	Harmful if swallowed. May cause burns to mout stomach.	h, throat, and
Symptoms related to the	physical, chemical, and toxicological c	haracteristics
Eye contact:	Adverse symptoms may include the following:	
	Pain	
	Watering	
	Irritation	
	Redness	
Inhalation:	Adverse symptoms may include the following:	
	Coughing	
	Respiratory tract irritation	
Skin contact:	Adverse symptoms may include the following:	
	Pain or irritation	
	Redness	
	Blistering may occur	
Ingestion:	Adverse symptoms may include the following:	
	Stomach pain	

## Delayed and immediate effects and also chronic effects from short- and long-term exposure

Short-term exposure Potential immediate effects	Not available.
Potential delayed effects	Not available.
Long-term exposure Potential immediate effects	Not available.
Potential delayed effects	Not available.
Potential chronic health eff	rects and the second
General:	Causes damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity:	Not available.
Mutagenicity:	This material was not mutagenic in an Ames bacterial assay. This material was negative in a CHO gene mutation assay. This material was negative in a SCE assay. This material was negative in a mouse micronucleus assay.
Teratogenicity:	Not available.
Developmental effects:	Not available.
Fertility effects:	Not classified based on available information.

### Numerical measures of toxicity

### Acute toxicity estimates Not available.

Revised 2016-12-08

A1100 DLC®

Page **9** of **13** 

A1100 DLC®

### **Other information**

Not genotoxic in various in vitro or in vivo studies. No evidence for systemic toxicity by short-term recurrent (9-day) application to the skin of rabbits up to 84 mg/kg/day (6 h/day, occlusive), although a cumulative local irritation occurs.

Recurrent exposure of rats to an aerosol of a hydrolyzate of this material (150 mg/m<sup>3</sup>) produced inflammatory and irritant effects in the nasal, laryngeal, and tracheal mucosae, and inflammatory reactions in the lungs. A separate laboratory study indicates that contact with a hydrolyzate of this organosilane ester does not result in skin sensitization. The International Agency for Research on Cancer (IARC) has determined that the consumption of alcoholic beverages is causally related to the occurrence of malignant tumors of the oral cavity, pharynx, larynx, esophagus, and liver in humans. The carcinogenic response attributed to drinking alcoholic beverages has not been verified in studies with laboratory animals. Established uses of denatured alcohol and non-beverage uses of pure ethanol are not considered to pose any significant cancer hazard.

### **12: Ecological information**

	OVI	CITY	7
	UAI		/
_		~	

Ingredient	Result	Species	Exposure
Gamma-	Acute LC50 934 mg/L	Fish – brachydanio rerio	96 h
aminopropyltriethoxysilane	Acute EC50 1,000 mg/L	Algae – desmodesmus subspicatus	72 h
	Acute NOEC 1.3 mg/L	Algae – desmodesmus subspicatus	72 h

### Persistence and degradability

Ingredient	Aquatic half-life	Photolysis	Biodegradability
Gamma-	-	-	Not readily,
aminopropyltriethoxysilane			hydrolyses (67% -
			28d)

#### **Bioaccumulative potential**

Ingredient	LogPow	BCF	Potential
Gamma-	1.7	-	low
aminopropyltriethoxysilane			

### **Mobility in soil**

Soil/water partition coefficient (K<sub>oc</sub>): Other adverse effects: Not available.

No known significant effects or critical hazards.

### **13: Disposal considerations**

**Disposal methods:** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products

Revised 2016-12-08

A1100 DLC®

Page **10** of **13** 

A1100 DLC®

should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Refer to Sections 6, 7, and 8 for additional information on accidental release measures, handling and storage, and exposure controls.

### **14: Transport information**

	DOT	IMDG	ΙΑΤΑ
UN number	UN3263	UN3263	UN3263
UN proper	Corrosive solid, basic,	Corrosive solid, basic,	Corrosive solid, basic,
shipping	organic, n.o.s. (3-	organic, n.o.s. (3-	organic, n.o.s. (3-
name	aminopropyltriethoxysilan	aminopropyltriethoxysilan	aminopropyltriethoxysilan
	e)	e)	e)
Transport	8	8	8
hazard			
class(es)			
Packing	П	П	П
group			
Environment	No.	No.	No.
al hazards			
Marine	Not applicable.	Not applicable.	Not applicable.
pollutant			
substances			
Additional	-	-	-
information			

Special precautions for user:

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: Not available.

### **15: Regulatory information**

### **Inventory status**

8b):

United States inventory (TSCA

Australia inventory (AICS):

Canada inventory (DSL):

China inventory (IECSC):

Europe inventory (REACH):

All components are listed or exempted.

All components are listed or exempted. All components are listed or exempted. All components are listed or exempted. All components are listed or exempted.

Revised 2016-12-08

A1100 DLC®

Page **11** of **13** 

Revised 2016-12-08	A1100 DLC®	Safety Data Sheet
Japan inventory (ENCS):	Please contact your supplier for information on th status of this material.	ne inventory
Korea inventory (KECI):	All components are listed or exempted.	
New Zealand inventory	All components are listed or exempted.	
(NZIoC): Philippines inventory (PICCS):	All components are listed or exempted.	

### **United States**

### **US Federal regulations:**

### SARA Title III

Section 311/312 – Hazard Categories: Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard

### **US State regulations:**

California Prop. 65: Not listed.

### **16: Other information**

### Hazardous Material Identification System (USA)

HEALTH	3
FLAMMABILITY	1
REACTIVITY	2
PERSONAL PROTECTION	

Caution: HMIS<sup>®</sup> ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS<sup>®</sup> ratings are not required on SDSs under 29 CFR 1901.1200, the preparer may choose to provide them. HMIS<sup>®</sup> ratings are to be used with a fully implemented HMIS<sup>®</sup> program. HMIS<sup>®</sup> is a registered mark of the Nation Paint & Coatings Association (NPCA). HMIS<sup>®</sup> materials may be purchased exclusively from J.J.Keller 800-327-6868.

\* - chronic effects

The customer is responsible for determining the PPE code for this material.

### Key to abbreviations:

ATE	Acute toxicity estimate
BCF	Bioconcentration factor
GHS	Globally Harmonized System of classification and labeling of chemicals
IATA	International Air Transport Association
IBC	Intermediate bulk container
IMDG	International Maritime Dangerous Goods
LogPow	Logarithm of the octanol/water partition coefficient
MARPOL 73/78	International convention for the Prevention of Pollution from Ships,
	1973, as modified by the Protocol of 1978. (MARPOL = marine pollution)

Revised 2016-12-08

A1100 DLC®

Page **12** of **13** 

A1100 DLC®

Safety Data Sheet

UN

United Nations

#### **Disclaimer:**

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Natrochem, Inc. makes no warranty express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon.

Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Natrochem, Inc. Consequently, Natrochem makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose for merchantability. Buyer acknowledges that Natrochem will not be liable for consequential, incidental, direct or special damages arising directly or indirectly in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.

Revised 2016-12-08

A1100 DLC®

Page **13** of **13**