# A172 DLC®

# 1: Identification

**Product identifier:** Other means of identification: Supplier:

A172 DLC® Vinyl-tris(2-methoxyethoxy)silane on calcium silicate NATROCHEM, Inc. P.O. Box 1205 Savannah, GA 31402-1205 912-236-4464 Rubber compounding Not applicable. CHEMTREC (USA) 800-424-9300 CHEMTREC (Int'l) 202-483-7616

# 2: Hazard(s) identification

**GHS classification:** 

**Recommended use: Restrictions on use:** 

**Emergency phone number:** 

Toxic to reproduction – Category 1B

#### **GHS label elements**

Circal words	DANCED
Signal word: Symbol(s):	DANGER
Hazard statements:	May damage fertility
	May damage the unborn child
Hazards not otherwise	May form combustible dust concentrations in the air.
classified:	Additional 2-methoxyethanol may be formed by reaction with
	moisture.
Precautionary statements:	
Prevention:	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and
	understood.
	Keep away from flames and hot surfaces. No smoking.
	Avoid breathing dust/vapours.
	Avoid release to the environment.
	Wear protective gloves.
	Wear eye or face protection.
Response:	IF ON SKIN (or hair): Wash with plenty of soap and water.
	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove

	contact lenses if present and easy to do – continue rinsing. IF exposed or concerned: Call a POISON CENTER/ doctor if you feel unwell.
	In case of fire: Use dry chemical, CO <sub>2</sub> , water spray (fog), or foam to extinguish.
Storage:	Store locked up.
	Store in a dry place. Store in a closed container.
	Store in a well ventilated place. Keep cool.
Disposal:	Dispose of contents/container in accordance with applicable regulations.
Supplemental information:	Not applicable.
Supplemental mornation.	

# **3: Composition**

Substance/mixtu	ure:
-----------------	------

Ingredient	Synonyms	CAS number	Concentration (%)
2,5,7,10-tetraoxa-6-		1067-53-4	70-74
silaundecane,6-ethenyl-6-(2-			
methoxyethoxy)-			
Calcium silicate		1344-95-2	26-30

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Mixture

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# 4: First-aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM, OR PHYSICIAN immediately; have SDS information available. Never give anything by mouth to an unconscious or convulsing person.

## **Description of necessary first aid measures**

Eye contact:	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide
	artificial respiration or oxygen by trained personnel.
Skin contact:	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion:	If swallowed, seek medical advice immediately and show this

container or label. Keep person warm and at rest. Do NOT induce vomiting.

## Most important symptoms/effects, acute and delayed.

#### Potential acute health effects

er than possible mechanical
above statutory or ause irritation of the nose,
dry skin and cause irritation. al hazards.

#### **Over-exposure signs/symptoms**

Eye contact:	Adverse symptoms may include the following:
	Irritation
	Redness
Inhalation:	Adverse symptoms may include the following:
	Coughing
	Respiratory tract irritation
Skin contact:	Adverse symptoms may include the following:
	Dryness
Ingestion:	No specific data.

# Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician:	Treat symptomatically. Contact poison treatment specialist
	immediately if large quantities have been ingested or inhaled.
Specific treatments:	No specific treatment.
Protection of first-aiders:	No action shall be taken involving any personal risk or without
	suitable training.
	· · · · · ·

See toxicological information (Section 11)

# **5: Fire-fighting measures**

#### **Extinguishing media**

Suitable extinguishing media:	Use dry chemical, CO <sub>2</sub> . Water spray (fog), or foam.
Unsuitable extinguishing media:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical:	Product forms a slippery surface when combined with water.
Hazardous thermal decomposition products:	In the event of a fire, hazardous decomposition products may include:
	Carbon monoxide
	Carbon dioxide
	Metal oxides

	Other unidentified organic compounds
	Measurements at temperatures above 150°C in presence of air
	(oxygen) have shown that small amounts of formaldehyde are
	formed due to oxidative degradation.
Special protective actions for	No action shall be taken involving any personal risk or without
firefighters:	proper training.
Special protective equipment	Firefighters and others who may be exposed to products of
for firefighters:	combustion should wear full firefighting turn out gear (full bunker gear) and self-contained breathing apparatus (SCBA) operated in pressure-demand mode (MSHA/NIOSH approved or equivalent).
	pressure-demand mode (MSHA/NIOSH approved or equivalent).

# **6: Accidental release measures**

#### Personal precautions, protective equipment, and emergency procedures

For non-emergency personnel:	Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Product forms slippery surface when combined with water. No action shall be taken involving any personal risk or without suitable training.
For emergency responders:	If specialized clothing is required to deal with the spillage, take note of any information in <b>Section 8</b> on suitable and unsuitable materials. See also the information immediately above in "For non-emergency personnel".
Environmental precautions:	Avoid release to sewers, waterways, soil, or air. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

#### Methods and materials for containment and cleaning up

Small spill:	Avoid generating dust. Vacuum or sweep up material and place in a
	designated, labeled waste container.
Large spill:	Avoid generating dust. Vacuum or sweep up material and place in a
	designated, labeled waste container.

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# 7: Handling and storage

#### **Precautions for safe handling**

Protective measures:	
Advice on general	
occupational hygiene:	

Put on appropriate personal protective equipment (see **Section 8**). Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. When transferring material into flammable solvents, use proper grounding to avoid electrical sparks. Avoid alteration of product properties before use. Calcining (which may result in crystalline silica formation) or mixing with additives may alter toxicological properties.

See also **Section 8** for additional information on hygiene measures. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area away from incompatible materials (see **Section 10**) and food and drink. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers.

# 8: Exposure controls/personal protection

#### **Control parameters**

Conditions for safe storage,

including any incompatibilities:

# Occupational exposure limits

None.	
Recommended monitoring procedures:	If this product contains ingredients with exposure limits, personal, workplace atmosphere, or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering	Good general ventilation should be sufficient to control worker
controls:	exposure to airborne contaminants.
Environmental exposure controls:	Emissions from ventilation or work process equipment should be checked to ensure that they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters, or engineering modifications to process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures:	Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory, and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: splash goggles.
Skin protection	
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. When

	handling hot material, wear heat-resistant gloves that are able to withstand the temperature of molten product.
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

# 9: Physical and chemical properties

Physical state:       Powder, solid, or granular solid         Color:       White to off-white.	1
Colory White to off white	
color: white to on-white.	
Odor: Ester-like.	
Odor threshold: Not available.	
pH: Not available.	
Melting/freezing point: Not available.	
Boiling point and range: Not available.	
Flash point: Not available.	
Evaporation rate: Not available.	
Flammability: Not available.	
Flammability or explosive Not available.	
limits:	
Vapor pressure: Not available.	
Vapor density: Not available.	
Relative density: Not available.	
Solubility: Not available.	
Partition coefficient: n- Not available.	
octanol/water:	
Auto-ignition temperature: Not available.	
<b>Decomposition temperature:</b> Not available.	
Viscosity: Not applicable.	

# 10: Stability and reactivity

Reactivity:	No specific test data related to reactivity available for this product or
	its ingredients.
Chemical stability:	This product is stable.

Possibility of hazardous reactions: Conditions to avoid: Incompatible materials:	Under normal conditions of storage and use, hazardous reactions will not occur. Avoid all possible sources of ignition. Avoid generating dust. Refer to protective measures listed in <b>Sections 7 and 8</b> . Reactive or incompatible with the following materials:
	Acids Oxidizing materials Strong alkalis Water
Hazardous decomposition products:	In the event of a fire, hazardous decomposition products may include: Carbon monoxide Carbon dioxide Metal oxides Other unidentified organic compounds Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

# **11: Toxicological information**

# Information on toxicological effects

# Acute toxicity

<u></u>				
Conclusion/summary:	Not determined.			
Ingredient	Result	Species	Dose	Exposure
2,5,7,10-tetraoxa-6-	LD <sub>50</sub> oral	Rat (M/F)	> 2000 mg/kg	-
silaundecane,6-ethenyl-6-	LD <sub>50</sub> oral	Rat	> 2000 mg/kg	-
(2-methoxyethoxy)-	LD <sub>50</sub> dermal	Rat (M/F)	> 2000 mg/kg	-
	LD <sub>50</sub> dermal	Rat	> 2000 mg/kg	-
rritation/corrosion	·			
Conclusion/summary				
Skin:	Non-irritant to skin (	Rabbit)		
Eyes:	Non-irritating to the eyes (Rabbit)			
Respiratory:	Not determined.			
ensitization				
Conclusion/summary:				
Skin:	Negative (Guinea pig	g)		

Respiratory:	Not determined.
Mutagenicity:	
Conclusion/summary:	Not determined.
<b>Carcinogenicity</b>	
Conclusion/summary:	Not determined.
Reproductive toxicity	
Conclusion/summary:	No known significant effects or critical hazards.
<b>Teratogenicity</b>	

Conclusion/summary: Specific target organ toxicity (s Not available.	No known significant effects or critical hazards. ingle exposure)	
Specific target organ toxicity (r	epeated exposure)	
Not available.	· · · · · · · · · · · · · · · · · · ·	
Target organs	Contains material which may cause damage to the following organs: upper respiratory tract, eyes.	
Aspiration hazard		
Not available.		
Information on the likely routes of exposure:	Routes of entry anticipated: oral, dermal, inhalation.	
Potential acute health effe	octe	
Eye contact:	No significant irritation expected other than possible mechanical	
Lye contact.	irritation.	
Inhalation:	May be harmful if inhaled.	
	Exposure to airborne concentrations above statutory or	
	recommended exposure limits may cause irritation of the nose,	
	throat, and lungs.	
Skin contact:	Prolonged or repeated contact may dry skin and cause irritation.	
Ingestion:	May be harmful if swallowed.	
Symptoms related to the p	ohysical, chemical, and toxicological characteristics	
Eye contact:	Adverse symptoms may include the following:	
	Irritation	
	Redness	
Inhalation:	Adverse symptoms may include the following:	
	Reduced fetal weight	
	Increase in fetal deaths	
	Skeletal malformations	
	Coughing	
	Respiratory tract irritation	
Skin contact:	Adverse symptoms may include the following:	

# Skeletal malformations Delayed and immediate effects and also chronic effects from short- and longterm exposure

Adverse symptoms may include the following:

Reduced fetal weight Increase in fetal deaths Skeletal malformations

Reduced fetal weight Increase in fetal deaths

Dryness

#### Short-term exposure

Potential immediate	No significant irritation expected other than possible mechanical
effects	irritation.

Ingestion:

Potential delayed effects	Prolonged or repeated contact may dry skin and cause irritation.
Long-term exposure	
Potential immediate effects	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Potential delayed effects	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Potential chronic health ef	fects
General:	No known significant effects or critical hazards.
Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	This material was negative in a bacterial reverse ( <i>salmonella typhimurium / Escherichia coli</i> ) mutation assay.
	This material was negative in a mammalian cell gene mutation test.
	This material was negative in a mammalian chromosome aberration

wn significant effects or critical hazards.
image the unborn child.
wn significant effects or critical hazards.
amage fertility.
)

# Numerical measures of toxicity

Acute toxicity estimates Not available.

#### **Other information**

Repeated exposure to 2-methoxyethanol may cause injury to bone marrow, blood cells, kidneys, liver, and testes. Reproductive toxicity was observed in rats exposed orally to 250 or 270 mg/kg/day of vinyl tris-2-methoxyethoxysilane prior to mating and during gestation. Effects included reduced litter size and postnatal pup survival during the first 4 days after birth. No adverse effects were observed at 25 mg/kg/day.

# **12: Ecological information**

#### Toxicity

Not available.

# Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Ingredient	LogPow	BCF	Potential
2,5,7,10-tetraoxa-6-	0.26	-	low
silaundecane,6-			
ethenyl-6-(2-			
methoxyethoxy)-			

#### **Mobility in soil**

Soil/water partition	Not available.
coefficient (K <sub>oc</sub> ):	
Other adverse effects:	No known significant effects or critical hazards.

# **13: Disposal considerations**

**Disposal methods:** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Refer to Sections 6, 7, and 8 for additional information on accidental release measures, handling and storage, and exposure controls.

# **14: Transport information**

	DOT	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping	-	-	-
name			
Transport hazard	-	-	-
class(es)			
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant	Not applicable.	Not applicable.	Not applicable.
substances			
Additional information	-	-	-

Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:

Not available.

# **15: Regulatory information**

#### **Inventory status**

United States inventory (TSCA	All components are listed or exempted.
8b):	
Australia inventory (AICS):	All components are listed or exempted.

Canada inventory (DSL):	All components are listed or exempted.
China inventory (IECSC):	All components are listed or exempted.
Europe inventory (REACH):	All components are listed or exempted.
Japan inventory (ENCS):	Please contact your supplier for information on the inventory status
Korea inventory (KECI): New Zealand inventory (NZIoC): Philippines inventory (PICCS):	of this material. All components are listed or exempted. All components are listed or exempted. All components are listed or exempted.

#### **United States**

#### **US Federal regulations:**

#### SARA Title III

#### Section 302 – Extremely Hazardous Chemicals:

The components in this product are either not SARA Section 302 regulated or are regulated but present in negligible concentrations.

#### Section 311/312 – Hazard Categories:

Fire hazard

Delayed (chronic) health hazard

#### Section 313 – Toxic Chemicals:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (de minimis) reporting levels established by SARA Title III, Section 313.

#### **US State regulations:**

#### California Prop. 65:

This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

## **16: Other information**

#### Hazardous Material Identification System (USA)

HEALTH	2	
FLAMMABILITY	2	
REACTIVITY	1	
PERSONAL PROTECTION		

Caution: HMIS<sup>®</sup> ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS<sup>®</sup> ratings are not required on SDSs under 29 CFR 1901.1200, the preparer may choose to provide them. HMIS<sup>®</sup> ratings are to be used with a fully implemented HMIS<sup>®</sup> program. HMIS<sup>®</sup> is a registered mark of the Nation Paint & Coatings Association (NPCA). HMIS<sup>®</sup> materials may be purchased exclusively from J.J.Keller 800-327-6868.

\* - chronic effects

The customer is responsible for determining the PPE code for this material.

#### **Key to abbreviations:**

ATE Acute toxicity estimate

BCF	Bioconcentration factor
GHS	Globally Harmonized System of classification and labeling of chemicals
IATA	International Air Transport Association
IBC	Intermediate bulk container
IMDG	International Maritime Dangerous Goods
LogPow	Logarithm of the octanol/water partition coefficient
MARPOL 73/78	International convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978. (MARPOL = marine pollution)
UN	United Nations

#### **Disclaimer**:

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Natrochem, Inc. makes no warranty express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon.

Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Natrochem, Inc. Consequently, Natrochem makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose for merchantability. Buyer acknowledges that Natrochem will not be liable for consequential, incidental, direct or special damages arising directly or indirectly in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.