# EPDM10 DLC®-A

# **1: Identification**

Product identifier: Other means of identification:

Supplier:



dioxide

EPDM10 DLC®-A

NATROCHEM, Inc. P.O. Box 1205 Savannah, GA 31402-1205 912-236-4464

Recommended use: Restrictions on use: Emergency phone number:

Not applicable. CHEMTREC (USA) CHEMTREC (Int'I)

800-424-9300 202-483-7616

Ethylene-propylene dicyclopentadiene terpolymer on silicon

# 2: Hazard(s) identification

OSHA/HCS status: GHS classification:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. Not classified.
GHS label elements	
Signal word:	WARNING
Symbol(s):	None.
Hazard statements:	
Hazards not otherwise classified:	May form combustible dust concentrations in the air.
Precautionary statements:	If medical advice is needed, have product container or label at hand. Read label before use.
Prevention:	Take precautionary measures against static discharge.
Prevention:	Avoid breathing dust/fume/ gas/mist/vapours/spray.
	Do not eat, drink or smoke when using this product.
Response:	Remove person to fresh air and keep comfortable for breathing. Take off contaminated clothing. Rinse skin with water/shower. IF exposed or concerned: Call a POISON CENTER/doctor. In case of fire: Use appropriate media for surrounding fire to extinguish.
Storage:	Store in a dry place. Store in a closed container.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulations.

## **3: Composition**

### Substance/mixture:

#### Mixture

Ingredient	Synonyms	CAS number	Concentration (%)
Ethylene-propylene	EPDM	25034-71-3	70-74
Dicyclopentadiene Terpolymer			
Silica, amorphous, precipitated,		112926-00-8	26-30
and gel			

Contains no detectable crystalline silica (detection limit <0.01% by weight)

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### 4: First-aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM, OR PHYSICIAN immediately; have SDS information available. Never give anything by mouth to an unconscious or convulsing person.

#### Description of necessary first aid measures

Eye contact:	Check for and remove any contact lenses. Immediately flush eyes
•	with running water for at least 15 minutes, keeping eyelids open.
	Seek immediate medical attention.
Inhalation:	Remove to fresh air. Keep person warm and at rest. If not
	breathing, if breathing is irregular, or if respiratory arrest occurs,
	provide artificial respiration or oxygen by trained personnel.
Skin contact:	Remove contaminated clothing and shoes. Wash skin thoroughly
	with soap and water or use recognized skin cleanser. Do NOT use
	solvents or thinners.
Ingestion:	If swallowed, seek medical advice immediately and show this
	document or a label. Keep person warm and at rest. Drink plenty of
	water or milk. Do NOT induce vomiting.
Most important symptoms/effects, acute and delayed.	

Potential acute health effects	
Eye contact:	No significant irritation expected other than possible mechanical irritation.
Inhalation:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat, and lungs.
Skin contact: Ingestion:	Prolonged or repeated contact may dry skin and cause irritation. No known significant effects or critical hazards. Ingestion

Our constant of the second second	Immediately rinse mouth and drink plenty f water or milk . Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions	
Over-exposure signs/symptom		
Eye contact:	Adverse symptoms may include the following:	
	Irritation	
	Redness	
Inhalation:	Adverse symptoms may include the following:	
	Coughing	
	Respiratory tract irritation	
Skin contact:	Adverse symptoms may include the following:	
	Dryness	
Ingestion:	No specific data.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician:	Treat symptomatically. Contact poison treatment specialist	
	immediately if large quantities have been ingested or inhaled.	
Specific treatments:	No specific treatment.	
Protection of first-aiders:	No action shall be taken involving any personal risk or without	
	suitable training.	
See toxicological information (Section 11)		

# 5: Fire-fighting measures

Extinguishing media Suitable extinguishing media:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media:	None known.
Specific hazards arising from the chemical:	No specific fire or explosion hazard. When transferring material into flammable solvents, use proper grounding to avoid electrical sparks.
Hazardous thermal decomposition products:	In case of fire, toxic gases (CO, $CO_2$ , $NO_x$ ) may be formed.
Special protective actions for firefighters: Special protective equipment for firefighters:	No action shall be taken involving any personal risk or without proper training. No special protection is required.

# 6: Accidental release measures

### Personal precautions, protective equipment, and emergency procedures

For non-emergency	No action shall be taken involving any personal risk or without
personnel:	suitable training. Keep unnecessary and unprotected personnel

For emergency responders: Environmental precautions:	from entering. Do not touch or walk through spilled material. Product forms slippery surface when combined with water. If specialized clothing is required to deal with the spillage, take note of any information in <b>Section 8</b> on suitable and unsuitable materials. See also the information immediately above in "For non- emergency personnel". Avoid discharge to the aquatic environment. Inform the relevant authorities if the product has caused environmental pollution
	(sewers, waterways, soil, or air).
Methods and materials for conta	inment and cleaning up
Small spill:	Vacuum or sweep up material and place in a designated, labeled waste container.
Large spill:	Vacuum or sweep up material and place in a designated, labeled waste container.

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# 7: Handling and storage

#### Precautions for safe handling

Protective measures:	Put on appropriate personal protective equipment (see Section 8).
Advice on general	Eating, drinking, and smoking should be prohibited in areas where
occupational hygiene:	this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. When transferring material into flammable solvents, use proper grounding to avoid electrical sparks. Avoid alteration of product properties before use. Calcining (which may result in crystalline silica formation) or mixing with additives may alter toxicological properties. See also <b>Section 8</b> for additional information on hygiene measures.
Conditions for safe storage,	Store in accordance with local regulations. Store in original
including any incompatibilities:	container protected from direct/indirect light sources in a dry, cool, and well-ventilated area away from incompatible materials (see <b>Section 10</b> ) and food and drink. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers.

## 8: Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere, or biological monitoring may be required to determine the effectiveness of the ventilation or other control

Appropriate engineering controls: Environmental exposure controls: Individual protection measures	measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure that they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters, or engineering modifications to process equipment will be necessary to reduce emissions to acceptable levels.
	Wash hands forearms and face thoroughly after handling
Hygiene measures: Eye/face protection:	Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory, and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: splash goggles.
Skin protection	assessment indicates a inglier degree of protection, spidsh goggles.
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. When handling hot material, wear heat-resistant gloves that are able to withstand the temperature of molten product.
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air- purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

# 9: Physical and chemical properties

#### **Appearance**

Appearance	
Physical state:	Powder, solid, or granular solid.
Color:	White to off-white.
Odor:	Characteristic.
Odor threshold:	Not available.
pH:	Not available.
Melting/freezing point:	Not available.
Boiling point and range:	Not available.
Flash point:	Not available.
Evaporation rate:	Not available.
Flammability:	Not available.
Flammability or explosive	Not available.
limits:	
Vapor pressure:	Not available.
Vapor density:	Not available.
Relative density:	Not available.
Solubility:	Not available.
Partition coefficient: n-	Not available.
octanol/water:	
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not applicable.

# 10: Stability and reactivity

Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability:	This product is stable.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid:	<ul> <li>High temperature (&gt;800°C) treatment (calcining). Avoid alteration of product properties before use. Calcining (which may result in crystalline silica formation) or mixing with additives may alter toxicological properties.</li> <li>Avoid generating dust.</li> <li>Avoid exposure to direct sunlight.</li> <li>Refer to protective measures listed in Sections 7 and 8.</li> </ul>
Incompatible materials:	Reactive or incompatible with the following materials: acids, oxidizing materials, strong alkalis.
Hazardous decomposition products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

# **11: Toxicological information**

# Information on toxicological effects

Acute toxicity

Conclusion/summary:	No knov	vn signi	ficant effects or critical hazards.	
Irritation/corrosion				
Conclusion/summary				
Skin:	No knov	No known significant effects or critical hazards.		
Eyes:	No know	No known significant effects or critical hazards.		
Respiratory:	No know	vn signi <sup>.</sup>	ficant effects or critical hazards.	
Sensitization				
Conclusion/summary:				
Skin:	No knov	vn signi	ficant effects or critical hazards.	
Respiratory:	No knov	vn signi	ficant effects or critical hazards.	
Mutagenicity:				
Conclusion/summary:	No know	vn signi	ficant effects or critical hazards.	
Carcinogenicity		Ū		
Conclusion/summary:	No knov	vn signi	ficant effects or critical hazards.	
Classification		U		
Ingredient	OSHA	IARC	NTP	
Silica, amorphous,	-	3	-	
precipitated, and gel		5		
Carcinogen classification	n code:			
-	A, 2B, 3, 4			
NTP: [Knc	wn/Reasona	ably antic	cipated] to be a human carcinogen	
OSHA: +				
Not listed/reg	ulated: -			
Reproductive toxicity	Nakaa		ficent offects or critical becords	
Conclusion/summary:	NO KHOW	vn signi	ficant effects or critical hazards.	
Teratogenicity	N. L. L.		finant offerste on mitiaal beronde	
Conclusion/summary:		-	ficant effects or critical hazards.	
Specific target organ toxicity (	single exp	<u>osure</u>		
Not available.				
Specific target organ toxicity ( Not available.	repeated e	exposul		
Target organs	Contains	s mater	ial which may cause damage to the following	
			espiratory tract, eyes.	
Aspiration hazard	0.0			
Not available.				
nformation on the likely routes	Routes o	of entrv	anticipated: oral, dermal, inhalation.	
of exposure:		,		
Potential acute health effects				
Eye contact:	No signi	ficant ir	ritation expected other than possible mechanical	
Lyc contact.	irritation			
Inhalation:	Exposure to airborne concentrations above statutory or			
	•		exposure limits may cause irritation of the nose,	
Skin contact:		throat, and lungs.		
Ingestion:		Prolonged or repeated contact may dry skin and cause irritation.		
-	No known significant effects or critical hazards. II, chemical, and toxicological characteristics			
Eye contact:		• •	oms may include the following:	
	Irritation			
	Redness			

Inhalation:	Adverse sumstame may include the following		
Innalation:	Adverse symptoms may include the following:		
	Coughing		
Chin contract.	Respiratory tract irritation		
Skin contact:	Adverse symptoms may include the following:		
	Dryness		
Ingestion:	No specific data.		
	nd also chronic effects from short- and long-term exposure		
Conclusion/summary:	An epidemiological study was conducted which included 165 precipitated silica workers who had been exposed an average time		
	of 8.6 years. Of these 165 workers, 44 had been exposed for an		
	average of 18 years. No adverse effects were noted in complete		
	medical examinations (including chest roentgenograms) of these		
	workers. Pulmonary function decrements were correlated only		
	with smoking and age but not with the degree or duration of dust		
	exposures. Laboratory studies have also been conducted in small		
	animals via inhalation of levels of precipitated silica dust of up to		
	126 mg/m <sup>3</sup> per periods from six months to two years. Although		
	precipitated silica was temporarily deposited in animals' lungs,		
	most of the deposited material was cleared soon after the dust		
	exposure ended. The results of all studies performed by, or known		
	to, PPG indicated a very low order of pulmonary activity for		
	synthetic precipitated silicas. PPG recommends that persons with		
	breathing problems or lung disease should not work in dusty areas		
	unless a physician approves and certifies their fitness to wear		
	respiratory protection.		
Short-term exposure			
Potential immediate	No significant irritation expected other than possible mechanical		
effects	irritation.		
Potential delayed effects	Prolonged or repeated contact may dry skin and cause irritation.		
Long-term exposure			
Potential immediate	Repeated or prolonged inhalation of dust may lead to chronic		
effects	respiratory irritation.		
Potential delayed effects	Repeated or prolonged inhalation of dust may lead to chronic		
	respiratory irritation.		
Potential chronic health			
<u>effects</u>			
General:	No known significant effects or critical hazards.		
Carcinogenicity:	No known significant effects or critical hazards.		
Mutagenicity:	No known significant effects or critical hazards.		
Teratogenicity:	No known significant effects or critical hazards.		
Developmental effects:	No known significant effects or critical hazards.		
Fertility effects:	No known significant effects or critical hazards.		
Numerical measures of toxicity			
Acute toxicity estimates			
Not available.			

# **12: Ecological information**

### **Toxicity**

Ingredient	Result	Species	Exposure
Silica, amorphous, precipitated, and	NOEC > 1000 ppm	Daphnia – <i>daphnia</i> magna	24 hours
gel		magna	
	Acute NOEC > 10000 ppm fresh water	Fish	96 hours static
	Acute NOEC > 10000 ppm	Fish – brachydanio rerio	4 days static
Persistence and degra	adability		

[Delete first table if not needed]

Ingredient	Test	Result	Dose	Inoculum

Ingredient	Aquatic half-life	Photolysis	Biodegradability	
Silica, amorphous,	-	-	Not readily	
precipitated, and				
gel				
<b>Bioaccumulative pote</b>	<u>ntial</u>			
Ingredient	LogPow	BCF	Potential	
Silica, amorphous,	-	0	low	
precipitated, and				
gel				
Mobility in soil				
Soil/water partition	<b>n</b> Not availa	ble.		
coefficient (Koc):				
Other adverse effects	: No known	No known significant effects or critical hazards.		

## **13: Disposal considerations**

This product is not considered to be hazardous waste under the definitions of the EPA and the Resource Conservation and Recovery Act (RCRA). However, ant local or state regulation governing the process and disposal of waste should be followed. The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by- products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
regional local authority requirements.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Refer to Sections 6, 7, and 8 for additional information on accidental release measures, handling and storage, and exposure controls.

## **14: Transport information**

[If transport hazard classes are applicable, try to include an image of the appropriate icons]

	DOT	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping	-	-	-
name			
Transport hazard	-	-	-
class(es)			
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant	Not applicable.	Not applicable.	Not applicable.
substances			
Additional information	-	-	-

Special precautions for user:

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: Not available.

# **15: Regulatory information**

Inventory status			
United States inventory (TSCA	All components are listed or exempted.		
8b):			
Australia inventory (AICS):	All components are listed or exempted.		
Canada inventory (DSL):	All components are listed or exempted.		
China inventory (IECSC):	All components are listed or exempted.		
Europe inventory (REACH):	All components are listed or exempted.		
Japan inventory (ENCS):	Please contact your supplier for information on the inventory		
	status of this material.		
Korea inventory (KECI):	All components are listed or exempted.		
New Zealand inventory	All components are listed or exempted.		
(NZIOC):			
Philippenes inventory (PICCS):	All components are listed or exempted.		
United States			
US Federal regulations:			
<u>SARA 302/304</u>			
SARA 304 RQ:	Not applicable.		
Composition/information c	on ingredients		
No products were found.			
<u>SARA 311/312</u>			
	Nuclear sectors have been sectored as a sector of the sect		

Classification:Not applicable.Composition/information on ingredients

No products were found.

### **16: Other information**

### Hazardous Material Indentification System (USA)

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0

#### PERSONAL PROTECTION

\* - chronic effects

Caution: HMIS<sup>®</sup> ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS<sup>®</sup> ratings are not required on SDSs under 29 CFR 1901.1200, the preparer may choose to provide them. HMIS<sup>®</sup> ratings are to be used with a fully implemented HMIS<sup>®</sup> program. HMIS<sup>®</sup> is a registered mark of the Nation Paint & Coatings Association (NPCA). HMIS<sup>®</sup> materials may be purchased exclusively from J.J.Keller 800-327-6868.

The customer is responsible for determining the PPE code for this material.

Key to abbreviations:	ATE BCF	Acute toxicity estimate Bioconcentration factor
	GHS	Globally harmonized system of classification and labeling of chemicals
	ΙΑΤΑ	International Air Transport Association
	IBC	Intermediate bulk container
	IMDG	International Maritime Dangerous Goods
	LogPow	Logarithm of the octanol/water partition coefficient
	MARPOL	International convention for the Prevention of
	73/78	Pollution from Ships, 1973, as modified by the Protocol of 1978. (MARPOL = marine pollution)
	UN	United Nations

### **Disclaimer:**

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Natrochem, Inc. makes no warranty express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon.

Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Natrochem, Inc. Consequently, Natrochem makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose for merchantability. Buyer acknowledges that Natrochem will not be liable for consequential, incidental, direct or special damages arising directly or indirectly in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.