

SAFETY DATA SHEET

Issue Date 25-Nov-2013 Revision Date 17-Apr-2019 Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name ADVAWAX™ 280 SPECIALTY WAX; ADVAWAX™ 280M SPECIALTY WAX;

ADVAWAX™ 280RH SPECIALTY WAX

Other means of identification

Biogenix Product Code 40288, 40332, 40333, 40334

SDS Code 280WAX

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant.
Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier Address PMC Biogenix, Inc. 1231 Pope Street Memphis, TN 38108

USA

Emergency telephone number

Company Phone Number PMC Biogenix Customer Service: 1-800-641-2152

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

Emergency Telephone Biogenix Environmental Health and Safety Department +1-901-320-5820

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122).

Combustible dust -

Label elements

Emergency Overview

Warning

May form combustible dust concentrations in air

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance powder Physical state Solid Odor Slight

<u>Hazards not otherwise classified (HNOC)</u>

Dust can form an explosive mixture with air

Other Information

May be harmful in contact with skin.

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

WAX

Chemical Family

Amide.

Chemical Name	CAS No	Weight-%	Trade Secret
N,N'-Ethylenebis(stearamide)	110-30-5	0-98	*
Hexadecanamide, N,N'-1,2-ethanediylbis-	5518-18-3	0-98	*
Fatty acids, C14-18	67701-02-4	2	*

^{*}The percentage listed represents batch to batch variability in the production of this product; it does not represent any specification.

4. FIRST AID MEASURES

First aid measures

Eye contact Molten product can cause thermal burns. Rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. (Call a physician if irritation persists).

Skin Contact Molten product can cause thermal burns. In case of burns, immediately cool affected skin

for as long as possible with cold water. Wash off immediately with plenty of water for at

least 15 minutes. (Get medical attention immediately if symptoms occur).

Inhalation Remove to fresh air. (Get medical attention immediately if symptoms occur).

Ingestion Molten product can cause thermal burns. Clean mouth with water and drink afterwards

plenty of water. (Get medical attention immediately if symptoms occur).

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Avoid creating dust. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous combustion products Carbon oxides. Hydrocarbons. Nitrogen oxides (NOx).

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

WAX

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid creating dust. Dust can

form an explosive mixture with air.

Environmental precautions

Environmental precautionsSee section 12 for additional ecological information. The product is insoluble and floats on

water. Prevent further leakage or spillage if safe to do so. Do not allow into any sewer, on

the ground or into any body of water. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for cleaning up

Use personal protective equipment as required. Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Avoid creating dust. Pick up and transfer to properly labeled containers. Where possible allow molten

material to solidify naturally.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Exposure limits are listed below, if they exist.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	PMC OEL
Dust	TWA: 10 mg/m ³ Inhl	TWA: 5 mg/m ³ Resp	-	-
DUST	TWA: 3 mg/m ³ Resp	TWA: 15 mg/m ³ Total		
	1	29CFR1910.1000		

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations, Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionHeat resistant gloves are recommended when handling molten materials.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Avoid breathing (dust, vapor, mist, gas). Wash

face, hands and any exposed skin thoroughly after handling. Use personal protective

equipment as required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

AppearancepowderOdorSlight

Color white to beige Odor threshold No information available

Property Values Remarks • Method

pH Not applicable

Melting point / freezing point 140 - 145 °C / 284 - 293 °F

Boiling point / boiling range > 300 °C / 572 °F Decomposes **Flash point** > 250 °C / > 482 °F Cleveland Open Cup

Evaporation rate

Flammability (solid, gas)

No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Specific Gravity
Water solubility
No information available
No information available
No information available
Insoluble in water
No information available
No information available

Solubility in other solvents

Partition coefficient

Autoignition temperature

No information available

No information available

Decomposition temperature 300C / 572F

Kinematic viscosityNo information availableNot applicableDynamic viscosityNo information availableNot applicable

Explosive propertiesDust can form an explosive mixture with air

Oxidizing properties Not applicable

Other Information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information available

Density < 1

Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

No known effects under normal use conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Avoid creating dust. Dust can form an explosive mixture with air. Extremes of temperature and direct sunlight.

Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products

Carbon oxides, Hydrocarbons, Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

280WAX: ADVAWAXTM 280 SPECIALTY WAX; ADVAWAXTM 280M SPECIALTY WAX; ADVAWAXTM 280RH SPECIALTY

WAX

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system. No

known effect based on information supplied. Vapors may be irritating to eyes, nose, throat,

and lungs.

Eye contact Dust contact with the eyes can lead to mechanical irritation. Molten product can cause

thermal burns.

Skin Contact Molten product can cause thermal burns.

Ingestion No data available.

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
N,N'-Ethylenebis(stearamide)	>5000-15000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 58 mg/l (Rat)	

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No known effect.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available
No information available

Aspiration hazard Not applicable.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 7702 mg/kg

 ATEmix (dermal)
 3712 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

2 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
N,N'-Ethylenebis(stearamide		> 0.027 mg/l: 96 h: Oryzias		> 0.0022- > 10,000 mg/l
) `		latipes		EC50 (Daphnia magna-48h)
110-30-5		(semi-static)		, , ,
		10,000 mg/l: 96 h: Danio		
		rerio		
		(static)		

Persistence and degradability

No information available.

Bioaccumulation

No information available.

WAX

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Disposal should be in accordance with applicable regional, national

and local laws and regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

IMDG Not regulated.

Not regulated.

15. REGULATORY INFORMATION

All of the components in the product are on the following Inventory lists

The classification and labeling information in this Safety Data Sheet should be viewed as provisional.

International Inventories

EINECS/ELINCS Complies or Exempt

TSCA Complies
AICS Complies
DSL/NDSL Complies

ENCS Does not comply

KECLCompliesPICCSCompliesIECSCCompliesNZIOCCompliesTCSIComplies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations

SARA 313

WAX

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). Any Substance regulated Title 40 of the Code of Federal Regulations, Part 372 is listed below, if it exists.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

Any Substance regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) is listed below, if it exists.

CERCLA

Any Substance regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) is listed below, if it exists.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical

Properties *

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection X

Prepared ByPMC GroupIssue Date25-Nov-2013Revision Date17-Apr-2019

Revision Note

(M)SDS sections updated 3 11

This material safety data sheet complies with the requirements of 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet