

**SR350 W****1. PRODUCT AND COMPANY IDENTIFICATION****Company**

Arkema Inc.  
900 First Avenue  
King of Prussia, Pennsylvania 19406

**Sartomer**

**Customer Service Telephone Number:** (800) SARTOMER  
(Monday through Friday, 8:00 AM to 5:00 PM EST)

**Emergency Information**

**Transportation:** CHEMTREC: (800) 424-9300  
(24 hrs., 7 days a week)

**Medical:** Rocky Mountain Poison Center: (866) 767-5089  
(24 hrs., 7 days a week)

**Product Information**

**Product name:** SR350 W  
**Synonyms:** Trimethylolpropane trimethacrylate  
**Molecular formula:** Mixture  
**Chemical family:** METHACRYLATE ESTER  
**Product use:** Adhesives, elastomers, Rubber products, Insulation for wire and/or cables

**2. HAZARDS IDENTIFICATION****Emergency Overview**

**Color:** light yellow  
**Physical state:** liquid  
**Odor:** acrylic-like

**\*Classification of the substance or mixture:**

Skin sensitisation, Category 1, H317  
Carcinogenicity, Category 2, H351  
Reproductive toxicity, Category 2, H361  
Specific target organ toxicity - repeated exposure, Category 2, H373  
Chronic aquatic toxicity, Category 2, H411

\*For the full text of the H-Statements mentioned in this Section, see Section 16.

**SR350 W**

---

**GHS-Labeling**

Hazard pictograms:



Signal word:

**Warning**

**Hazard statements:**

- H317 : May cause an allergic skin reaction.
- H351 : Suspected of causing cancer.
- H361 : Suspected of damaging fertility or the unborn child.
- H373 : May cause damage to organs through prolonged or repeated exposure.
- H411 : Toxic to aquatic life with long lasting effects.

**Supplemental Hazard Statements:**

Specific target organ toxicity - repeated exposure:  
bladder

Processing may release vapors and/or fumes which cause eye, skin and respiratory tract irritation.

**SR350 W****Precautionary statements:****Prevention:**

- P201 : Obtain special instructions before use.  
P202 : Do not handle until all safety precautions have been read and understood.  
P260 : Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P272 : Contaminated work clothing should not be allowed out of the workplace.  
P273 : Avoid release to the environment.  
P280 : Wear protective gloves.  
P281 : Use personal protective equipment as required.

**Response:**

- P302 + P352 : IF ON SKIN: Wash with plenty of soap and water.  
P308 + P313 : IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 : If skin irritation or rash occurs: Get medical advice/ attention.  
P363 : Wash contaminated clothing before reuse.  
P391 : Collect spillage.

**Storage:**

- P405 : Store locked up.

**Disposal:**

- P501 : Dispose of contents or container to an approved waste disposal plant.

**Supplemental information:****Potential Health Effects:**

- Effects due to processing releases or residual monomer: Irritating to eyes, respiratory system and skin. Possible cross sensitization with other acrylates and methacrylates.  
Prolonged or repeated exposure may cause: headache, drowsiness, nausea, weakness, (severity of effects depends on extent of exposure).

**Other:**

- This product may release fume and/or vapor of variable composition depending on processing time and temperature.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**SR350 W**

Chemical Name	CAS-No.	Wt/Wt	GHS Classification**
2-Propenoic acid, 2-methyl-, 2-ethyl-2-[[[(2-methyl-1-oxo-2-propenyl)oxy]methyl]-1,3-propanediyl ester	3290-92-4	>= 97 %	H411
Benzenamine, N-nitroso-N-phenyl-	86-30-6	< 3 %	H317, H351, H361, H373, H411

\*\*For the full text of the H-Statements mentioned in this Section, see Section 16.

**4. FIRST AID MEASURES**

**4.1. Description of necessary first-aid measures:**

**Inhalation:**

If inhaled, remove victim to fresh air.

**Skin:**

In case of contact, immediately flush skin with soap and plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse. Thoroughly clean shoes before reuse. Remove contaminated clothing and shoes.

**Eyes:**

Immediately flush eye(s) with plenty of water.

**Ingestion:**

If swallowed, DO NOT induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.

**4.2. Most important symptoms/effects, acute and delayed:**

For most important symptoms and effects (acute and delayed), see Section 2 (Hazard Statements and Supplemental Information if applicable) and Section 11 (Toxicology Information) of this SDS.

**4.3. Indication of immediate medical attention and special treatment needed, if necessary:**

Unless otherwise noted in Notes to Physician, no specific treatment noted; treat symptomatically.

**SR350 W****5. FIREFIGHTING MEASURES****Extinguishing media (suitable):**

Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Dry chemical

**Protective equipment:**

Fire fighters and others who may be exposed to products of combustion should wear full fire fighting turn out gear (full Bunker Gear) and self-contained breathing apparatus (pressure demand / NIOSH approved or equivalent).

**Further firefighting advice:**

Fight fire from a protected location.

Cool closed containers exposed to fire with water spray.

Closed containers of this material may explode when subjected to heat from surrounding fire.

Do not allow run-off from fire fighting to enter drains or water courses.

Fire fighting equipment should be thoroughly decontaminated after use.

**Fire and explosion hazards:**

When burned, the following hazardous products of combustion can occur:

Carbon oxides

nitrogen oxides

Hazardous organic compounds

Polymerization is exothermic and can degenerate into an uncontrolled reaction.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, Emergency procedures, Methods and materials for containment/clean-up:**

Prevent further leakage or spillage if you can do so without risk. Ventilate the area. Avoid generation of vapors. Contain and collect spillage with non-combustible absorbent material such as clean sand, earth, diatomaceous earth or non-acidic clay and place into suitable properly labeled containers for prompt disposal. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

**Protective equipment:**

Appropriate personal protective equipment is set forth in Section 8.

## SR350 W

**7. HANDLING AND STORAGE****Handling****General information on handling:**

Do not taste or swallow.

Avoid contact with skin, eyes and clothing.

Avoid breathing vapor or mist.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Emptied container retains vapor and product residue.

Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

**Storage****General information on storage conditions:**

Keep in a dry, cool place. Store in closed containers, in a secure area to prevent container damage and subsequent spillage. Store out of direct sunlight in a cool well-ventilated place. Keep stabilizer levels constant to avoid explosive polymerization. An air space is required above the liquid in all containers; avoid storage under an oxygen-free atmosphere.

**Storage stability – Remarks:**

Inhibitor levels should be maintained. The typical shelf-life for this product is 6 months.

**Storage incompatibility – General:**

Store separate from:

Strong oxidizing agents

Strong reducing agents

Free radical generators

Inert gas

Oxygen scavenger.

Peroxides

**Temperature tolerance – Do not store below:**

32 °F (0 °C)

**Temperature tolerance – Do not store above:**

100 °F (38 °C)

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Airborne Exposure Guidelines:**

**2-Propenoic acid, 2-methyl-, 2-ethyl-2-[[[(2-methyl-1-oxo-2-propenyl)oxy]methyl]-1,3-propanediyl ester (3290-92-4)**

US. OARS. WEELs Workplace Environmental Exposure Level Guide, as amended

**SR350 W**

Skin designation	
Remarks:	Can be absorbed through the skin.
Time weighted average	1 mg/m3
Remarks:	Avoid skin or eye contact with liquids or aerosols.
Remarks:	Listed

Only those components with exposure limits are printed in this section. Limits with skin contact designation above have skin contact effect. Air sampling alone is insufficient to accurately quantitate exposure. Measures to prevent significant cutaneous absorption may be required. Limits with a sensitizer designation above mean that exposure to this material may cause allergic reactions.

**Engineering controls:**

Investigate engineering techniques to reduce exposures below airborne exposure limits or to otherwise reduce exposures. Provide ventilation if necessary to minimize exposures or to control exposure levels to below airborne exposure limits (if applicable see above). If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.

**Respiratory protection:**

Avoid breathing vapor or mist. Where airborne exposure is likely or airborne exposure limits are exceeded (if applicable, see above), use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. Consult respirator manufacturer to determine appropriate type equipment for a given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure or where exposure limit may be significantly exceeded, use an approved full face positive-pressure, self-contained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply. Respiratory protection programs must comply with 29 CFR § 1910.134.

**Skin protection:**

Wear appropriate chemical resistant protective clothing and chemical resistant gloves to prevent skin contact. Consult glove manufacturer to determine appropriate type glove material for given application. Avoid natural rubber gloves. Wear chemical goggles, a face shield, and chemical resistant clothing such as a rubber apron when splashing may occur. Rinse immediately if skin is contaminated. Remove contaminated clothing immediately and wash before reuse. Clean protective equipment before reuse. Provide a safety shower at any location where skin contact can occur. Wash thoroughly after handling.

**Eye protection:**

Where eye contact may be likely, wear chemical goggles and have eye flushing equipment available.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Color:</b>	light yellow
<b>Physical state:</b>	liquid

**SR350 W**

<b>Odor:</b>	acrylic-like
<b>Odor threshold:</b>	No data available
<b>Flash point</b>	> 201 °F (94 °C) (Pensky-Martens closed cup)
<b>Lower flammable limit (LFL):</b>	No data available
<b>Upper flammable limit (UFL):</b>	No data available
<b>pH:</b>	~ 7
<b>Density:</b>	1.05 - 1.07 g/cm <sup>3</sup> (77 °F (25 °C))
<b>Specific Gravity (Relative density):</b>	1.05 - 1.07 (77 °F (25 °C))Water=1 (liquid)
<b>Boiling point/boiling range:</b>	No data available
<b>Melting point/range:</b>	No data available
<b>Freezing point:</b>	No data available
<b>Evaporation rate:</b>	No data available
<b>Solubility in water:</b>	negligible
<b>Refractive index:</b>	1.4701 77 °F (25 °C)
<b>Viscosity, dynamic:</b>	30 - 60 mPa.s 77 °F (25 °C) (Method: Brookfield)
<b>Oil/water partition coefficient:</b>	log Pow: 2.8177 °F (25 °C)
<b>Thermal decomposition:</b>	402.31 °F (205.73 °C)
<b>Flammability:</b>	See GHS Classification in Section 2 if applicable

<b>10. STABILITY AND REACTIVITY</b>
-------------------------------------



## SR350 W

**Stability:**

This material is chemically stable under normal and anticipated storage, handling and processing conditions. However, this material can undergo hazardous polymerization.

**Hazardous reactions:**

Hazardous polymerisation may occur.  
Polymerization is exothermic and can degenerate into an uncontrolled reaction.

**Materials to avoid:**

Strong reducing agents  
Free radical generators  
Inert gas  
Oxygen scavenger.  
Peroxides  
Strong oxidizing agents

**Conditions / hazards to avoid:**

This material polymerizes exothermically in the presence of heat, contamination, oxygen free atmosphere, free radicals, peroxides and inhibitor depletion liberating heat. Avoid direct sunlight. Do NOT expose to ultraviolet light.

**Hazardous decomposition products:**

Thermal decomposition giving flammable and toxic products :  
Carbon oxides  
Nitrogen oxides (NOx)  
Methacrylates  
Hazardous organic compounds

**11. TOXICOLOGICAL INFORMATION**

Data on this material and/or its components are summarized below.

**Data for 2-Propenoic acid, 2-methyl-, 2-ethyl-2-[[[(2-methyl-1-oxo-2-propenyl)oxy]methyl]-1,3-propanediyl ester (3290-92-4)****Acute toxicity****Oral:**

No deaths occurred. (rat) LD0 > 2,000 mg/kg.

**Dermal:**

No deaths occurred. (rat) LD0 > 2,000 mg/kg.

**Skin Irritation:**

Not irritating. (rabbit) OECD Test Guideline 404 (4 h)

**Eye Irritation:**

Causes mild eye irritation. (rabbit) OECD Test Guideline 405 0.0 - 8.1 / 110.

**Skin Sensitization:**

Not a sensitizer. Guinea pig maximization test. Both positive and negative responses have been

## SR350 W

reported.

**Repeated dose toxicity**

Repeated dermal administration to mouse / affected organ(s): skin, site of contact / signs: Local effects due to an irritant effect / No adverse systemic effects reported.

Repeated oral administration to rat / affected organ(s): Kidney, Liver / signs: changes in body weight, changes in organ weights, (at the highest dose level) / No adverse systemic effects reported.

**Carcinogenicity**

Chronic dermal administration to mouse / No increase in tumor incidence was reported. (According to limited available data)

**Genotoxicity****Assessment in Vitro:**

No genetic changes were observed in laboratory tests using: bacteria

Both positive and negative responses for genetic changes were observed in laboratory tests using: animal cells, human cells

**Genotoxicity****Assessment in Vivo:**

No genetic changes were observed in laboratory tests using: rats, mice

**Developmental toxicity**

Exposure during pregnancy. Oral (rat) / No birth defects were observed.

**Reproductive effects**

Reproductive/Developmental Effects Screening Assay. Oral (rat) / No toxicity to reproduction.

**Other information**

Possible cross sensitization with other acrylates and methacrylates.

**Data for Benzenamine, N-nitroso-N-phenyl- (86-30-6)****Acute toxicity****Oral:**

May be harmful if swallowed. (rat) LD50 > 2,000 mg/kg.

**Dermal:**

No deaths occurred. (rat) LD0 > 2,000 mg/kg.

**Skin Irritation:**

Not irritating. (reconstructed human epidermis (RhE)) OECD Test Guideline 439 (15 min)

**Eye Irritation:**

Not irritating. (Bovine cornea) OECD Test Guideline 437

## SR350 W

**Skin Sensitization:**

May cause an allergic skin reaction. Direct peptide reactivity assay (DPRA). Skin allergy was observed.

May cause an allergic skin reaction. KeratinoSens assay. Skin allergy was observed.

**Repeated dose toxicity**

Repeated oral administration to rat / affected organ(s): Bladder / signs: Necrosis, hyperplasia

**Specific target organ toxicity - repeated exposure:**

May cause damage to organs through prolonged or repeated exposure. (Bladder)

**Carcinogenicity**

Chronic dietary administration to mouse / No increase in tumor incidence was reported.

Chronic dietary administration to rat / affected organ(s): urinary bladder / Increase in tumor incidence was reported.

Classified by the International Agency for Research on Cancer as: Group 3: Unclassifiable as to carcinogenicity in humans.

**Genotoxicity****Assessment in Vitro:**

Both positive and negative responses for genetic changes were observed in laboratory tests using: bacteria, animal cells

**Genotoxicity****Assessment in Vivo:**

No genetic changes were observed in laboratory tests using: rats, mice

An equivocal response has been reported in a test using: fruit flies

**Developmental toxicity**

Reproductive/Developmental Effects Screening Assay. Oral (rat) / Embryotoxic effects and adverse effects on the offspring were detected.

**Reproductive effects**

Reproductive/Developmental Effects Screening Assay. Oral (rat) / No toxicity to reproduction.

**12. ECOLOGICAL INFORMATION****Chemical Fate and Pathway**

Data on this material and/or its components are summarized below.

**Data for 2-Propenoic acid, 2-methyl-, 2-ethyl-2-[[[(2-methyl-1-oxo-2-propenyl)oxy]methyl]-1,3-propanediyl ester (3290-92-4)****Biodegradation:**

Not readily biodegradable. (28 d) biodegradation 53 % / OECD Test Guideline 301B

## SR350 W

**Octanol Water Partition Coefficient:**

log Pow: = 4.19, at 77 °F (25 °C) (Method: OECD Test Guideline 117)

**Data for Benzenamine, N-nitroso-N-phenyl- (86-30-6)****Biodegradation:**

Readily biodegradable. (7 d) biodegradation 98 %

**Octanol Water Partition Coefficient:**

log Pow: = 3.13

**Ecotoxicology**

Data on this material and/or its components are summarized below.

**Data for 2-Propenoic acid, 2-methyl-, 2-ethyl-2-[[[(2-methyl-1-oxo-2-propenyl)oxy]methyl]-1,3-propanediyl ester (3290-92-4)****Aquatic toxicity data:**

Toxic. Oncorhynchus mykiss (rainbow trout) 96 h LC50 = 2 mg/l

**Aquatic invertebrates:**

Toxic. Daphnia magna (Water flea) 48 h EC50 = 9.22 mg/l

**Algae:**

Toxic. Pseudokirchneriella subcapitata (green algae) 72 h EC50 = 3.88 mg/l

**Microorganisms:**

Respiration inhibition / Activated sludge 3 h EC50 > 1,000 mg/l

**Chronic toxicity to fish:**

Toxic. Pimephales promelas (fathead minnow) 32 d NOEC = 0.138 mg/l

**Data for Benzenamine, N-nitroso-N-phenyl- (86-30-6)****Aquatic toxicity data:**

Harmful. Oryzias latipes (medaka) 96 h LC50 = 10.2 mg/l (Nominal concentration)

**Aquatic invertebrates:**

Harmful. Daphnia magna (Water flea) 48 h EC50 = 10.1 mg/l (Nominal concentration)

**Algae:**

Pseudokirchneriella subcapitata (green algae) 72 h ErC50 > 4 mg/l (Nominal concentration)

**Microorganisms:**

Respiration inhibition / Activated sludge 3 h NOEC > 1,000 mg/l (Nominal concentration)

**Chronic toxicity to fish:**

Harmful. Oryzias latipes (Japanese medaka) 14 d NOEC = 0.4 mg/l

**Chronic toxicity to aquatic invertebrates:**

Toxic. Reproduction Test / Daphnia magna (Water flea) 21 d NOEC = 0.075 mg/l

**SR350 W**

**Chronic toxicity to aquatic plants:**

Practically nontoxic. Growth inhibition / Pseudokirchneriella subcapitata (green algae) 72 h ErC10 = 2.2 mg/l (Nominal concentration)

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal:**

Disposal via incineration is recommended. Dispose of in accordance with federal, state and local regulations. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information incomplete, inaccurate, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive or otherwise different from federal laws and regulations.

Take appropriate measures to prevent release to the environment.

**14. TRANSPORT INFORMATION**

**US Department of Transportation (DOT)**

UN Number : 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 Technical name : (Trimethylolpropane Trimethacrylate)  
 Class : 9  
 Packaging group : III  
 Marine pollutant : yes

**International Maritime Dangerous Goods Code (IMDG)**

UN Number : 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 Technical name : (TRIMETHYLOLPROPANE TRIMETHACRYLATE)  
 Class : 9  
 Packaging group : III  
 Marine pollutant : yes  
 Flash point : > 201 °F (94 °C) Pensky-Martens closed cup

**15. REGULATORY INFORMATION**

**Chemical Inventory Status**

US. Toxic Substances Control Act	TSCA	The components of this product are all on the TSCA Inventory.
Canadian Domestic Substances List (DSL)	DSL	All components of this product are on the Canadian DSL

**SR350 W**

China. Inventory of Existing Chemical Substances in China (IECSC)	IECSC (CN)	Conforms to
Japan. ENCS - Existing and New Chemical Substances Inventory	ENCS (JP)	Conforms to
Japan. ISHL - Inventory of Chemical Substances	ISHL (JP)	Conforms to
Korea. Korean Existing Chemicals Inventory (KECI)	KECI (KR)	Conforms to
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	PICCS (PH)	Does not conform
Australia Inventory of Chemical Substances (AICS)	AICS	Conforms to

**United States – Federal Regulations**

**SARA Title III – Section 302 Extremely Hazardous Chemicals:**

The components in this product are either not SARA Section 302 regulated or regulated but present in negligible concentrations.

**SARA Title III - Section 311/312 Hazard Categories:**

Chronic Health Hazard, Reactivity Hazard, Acute Health Hazard

**SARA Title III – Section 313 Toxic Chemicals:**

The following components are subject to reporting levels established by SARA Title III, Section 313:

<u>Chemical name</u>	<u>CAS-No.</u>	<u>De minimis concentration</u>	<u>Reportable threshold:</u>
Benzenamine, N-nitroso-N-phenyl-	86-30-6	1.0 %	10000 lbs (Otherwise used (non-manufacturing/processing)) 25000 lbs (Manufacturing and processing)

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantity (RQ):**

<u>Chemical name</u>	<u>CAS-No.</u>	<u>Reportable quantity</u>
Benzenamine, N-nitroso-N-phenyl-	86-30-6	100 lbs

**United States – State Regulations**

**SR350 W**

**New Jersey Right to Know**

<u>Chemical name</u>	<u>CAS-No.</u>
Benzenamine, N-nitroso-N-phenyl-	86-30-6

**New Jersey Right to Know – Special Health Hazard Substance(s)**

<u>Chemical name</u>	<u>CAS-No.</u>
Benzenamine, N-nitroso-N-phenyl-	86-30-6

**Pennsylvania Right to Know**

<u>Chemical name</u>	<u>CAS-No.</u>
2-Propenoic acid, 2-methyl-, 2-ethyl-2-[[[(2-methyl-1-oxo-2-propenyl)oxy]methyl]-1,3-propanediyl ester	3290-92-4

Benzenamine, N-nitroso-N-phenyl-	86-30-6
----------------------------------	---------

Benzene, methyl-	108-88-3
------------------	----------

**Pennsylvania Right to Know – Environmentally Hazardous Substance(s)**

<u>Chemical name</u>	<u>CAS-No.</u>
Benzenamine, N-nitroso-N-phenyl-	86-30-6
Benzene, methyl-	108-88-3

**California Prop. 65**

WARNING! This product contains a chemical known to the State of California to cause cancer.

<u>Chemical name</u>	<u>CAS-No.</u>
Benzenamine, N-nitroso-N-phenyl-	86-30-6

1,2-Benzenediol	120-80-9
-----------------	----------

**California Prop. 65**

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

<u>Chemical name</u>	<u>CAS-No.</u>
Benzene, methyl-	108-88-3

**16. OTHER INFORMATION**

Product code: FP17076-W

Version 2.1

Issued on: 06/08/2020

Page: 15 / 16

**SR350 W****Full text of H-Statements referred to under sections 2 and 3.**

- H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

## Latest Revision(s):

Reference number: 200003790  
Date of Revision: 06/08/2020  
Date Printed: 06/09/2020

The statements, technical information and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, ARKEMA expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement. See SDS for Health & Safety Considerations.

*Arkema has implemented a Medical Policy regarding the use of Arkema products in Medical Devices applications that are in contact with the body or circulating bodily fluids (<http://www.arkema.com/en/social-responsibility/responsible-product-management/medical-device-policy/index.html>) Arkema has designated Medical grades to be used for such Medical Device applications. Products that have not been designated as Medical grades are not authorized by Arkema for use in Medical Device applications that are in contact with the body or circulating bodily fluids. In addition, Arkema strictly prohibits the use of any Arkema products in Medical Device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Arkema trademarks and the Arkema name shall not be used in conjunction with customers' medical devices, including without limitation, permanent or temporary implantable devices, and customers shall not represent to anyone else, that Arkema allows, endorses or permits the use of Arkema products in such medical devices.*

*It is the sole responsibility of the manufacturer of the medical device to determine the suitability (including biocompatibility) of all raw materials, products and components, including any medical grade Arkema products, in order to ensure that the final end-use product is safe for its end use; performs or functions as intended; and complies with all applicable legal and regulatory requirements (FDA or other national drug agencies) It is the sole responsibility of the manufacturer of the medical device to conduct all necessary tests and inspections and to evaluate the medical device under actual end-use requirements and to adequately advise and warn purchasers, users, and/or learned intermediaries (such as physicians) of pertinent risks and fulfill any postmarket surveillance obligations. Any decision regarding the appropriateness of a particular Arkema material in a particular medical device should be based on the judgment of the manufacturer, seller, the competent authority, and the treating physician.*