



Synpro[®] ZINC STEARATE 44HS

Product Description

Synpro[®] ZINC STEARATE 44HS is a mid-level ash, non-caking, fine powder product specifically designed for use in polystyrene, color concentrates, polyurethanes, and polyolefins. It has enhanced heat stability and provides crystal clear melting properties.

Synpro[®] ZINC STEARATE 44HS is suitable for use in food packaging applications in accordance with many FDA Code of Regulations; an updated complete list is available upon request.

Safety and Handling

Complete toxicity and handling information can be found on the Material Safety Data Sheet (MSDS), which is available upon request.

Typical Properties

Appearance	White free-flowing fine Powder
Ash (ZnO)	13.6 %
Free Fatty Acid	0.1 %
Moisture	0.2 %
Melting Point	120°C
Apparent Density	0.4 g/cc
Fineness (Sieve)	≥ 99% through 325 Mesh

FERRO CORPORATION
Polymer Additives

6060 Parkland Blvd, Mayfield Heights, OH 44124
Phone (216) 641-8580 • Fax (216) 875-5624

12/31/2009; r 2012

The information contained in this data sheet has been determined through the application of accepted engineering practice and is believed to be reliable. Since the conditions of application and use of our products are beyond our control, no warranty is expressed or implied regarding accuracy of this information, the results to be obtained from the use of the product, so that such use will not infringe on any patent. This information is furnished with the express condition that you will make your own tests to determine the suitability of the product for your particular use.